I I KU WICTONIAI RANOTTING KOTM —————												Eastex Envir			-					OLAR ACCREDITA				
Water System Identification & Sample Collection Information (Please type or use block print)											1119 S. University Drive Nacogdoches, TX 75961						STE	X	TNI					
												Phone: 936-569-8879						MENTAL LAB	s INC.	IABORATOR'				
Public Water System ID: TX (Must be 7 digits; include all zeros)										Fax: 936-569-8951														
Pu	blic Water	System												www.eastexlabs.com TCEQ Lab ID: TX						D: TX00962	2	TCEQ Accreditation ID:		
	Name	:												Test Results must meet all accreditation / certification requirements unless stated otherwise.										
	Count	y:										SHADED AREA FOR LABORATORY USE ONLY												
Report Results To:											Sample Iced? Relinquished By			y (Sampler): Date / Time:										
	Name:									☐ Yes	☐ Yes ☐ No Recei			leceived By (Courier, if applicable):										
	Address:									Temperature				, ,,	,	Date								
	City:															Relinquished By				y (Courier): Date/ Time:				
port R	State:				Zip C	odo.								Corrected Temp Received By (La				ab): Date / Time:			/ Time:			
Re	State.					Zip C	oue.								Lab Comments:									
	Phone #:																							
Sampler Name (Print): License #:											Tested By: Date / Time:													
Sampler Signature:									Report to Client By: Date / Time:															
															le 8, Chapter 37.10)	Chlorine Residual				Lab Results				
D) 0.										Sample ID & Date o	Nesiduai		Rejection Code (if		Test SM 9223 B									
ıt	U		Address / Loc				Date		Time					n *	Originating Sample (All Repeat,	Circle "F" for Free,		applicable) - Please		Method: SIVI 9223 B				
emer		DO NO	T USE SITE #			ž	ar	Please c	rcle in	oution	at	Nell	Special *	Construction	Replacement, & Triggered Raw Samples)	(mg/L)		Resubmi	Resubmit	Total C	oliform	E. 0	oli	
Replacement	Raw Wells	v Wells Use Source ID for Well Sampled Example: G1234567A			Month	Day	Year	AM or F	РМ	Distribution	Repeat	Raw Well								Present	Absent	Present	Absent	Laboratory Sample ID Number
									am pm								F T							
									am pm								F T							
									am pm								F T							
									am pm								F T							
									am pm								F T							
									am pm							•	F T							
									am pm							•	F T							
									am pm								F T							
									am pm								F T							
									am pm								F T							
* Sp	ecial and C	ontruction	samples are NO	T FOR COMPL	LIANC	E									Lab Rejected (LR)	- Document Re	eason:	:						